
Steam-Boiler Construction A Practical Handbook for Engineers, Boiler-Makers Steam Users



Filesize: 9.66 MB

Reviews

Comprehensive guide! Its this sort of very good go through. It generally is not going to price too much. Its been designed in an remarkably basic way which is simply following i finished reading this pdf where really changed me, affect the way i really believe.

(Prof. Jeremie Blanda DDS)

STEAM-BOILER CONSTRUCTION A PRACTICAL HANDBOOK FOR ENGINEERS, BOILER-MAKERS STEAM USERS



To get Steam-Boiler Construction A Practical Handbook for Engineers, Boiler-Makers Steam Users PDF, you should click the button listed below and save the ebook or get access to other information which are highly relevant to STEAM-BOILER CONSTRUCTION A PRACTICAL HANDBOOK FOR ENGINEERS, BOILER-MAKERS STEAM USERS book.

RareBooksClub. Paperback. Book Condition: New. This item is printed on demand. Paperback. 248 pages. Dimensions: 9.7in. x 7.4in. x 0.5in.This historic book may have numerous typos and missing text. Purchasers can download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1898 Excerpt: . . . W G in thickness, and if inches external diameter, with the exception of those of the bottom row, which are 4 inches diameter. The sides of the furnace are of fire-brick, lined with fire-tiles. The boiler is enclosed by a light casing, formed of two thin flanged plates, with asbestos millboard between them, on the outside of which is a light cleading having an air-space between it and the casing proper. The front and rear Fig. 331. --Water-tube marine boiler by Babcock and Wilcox, Limited, London. casings are in the form of doors to permit inspection of the headers. The heating-surface of the boiler is 1000 square feet, the area of the fire-grate is 24 square feet, and the ratio of the fire-grate surface to the heating-surface is 1 to 417. This boiler is suitable for a triple-expansion engine of 270 indicated horse-power. When supplying steam to triple-expansion engines, 3J square feet of heating-surface are usually provided in this boiler per indicated horse-power: and from n to 12 indicated horse-power are assumed to be developed per square foot of fire-grate surface per hour with natural draught. When supplying steam to compound, or double-expansion engines, from 4s to 5 square feet of heating-surface are usually provided per indicated horsepower; and from 9 to 10 indicated horse-power are assumed to be developed per square foot of fire-grate surface per hour with natural draught. Fig. 332. --Water-tube marine boiler by Laird Bros., Birkenhead. With forced draught, or an...

- Read Steam-Boiler Construction A Practical Handbook for Engineers, Boiler-Makers Steam Users Online
- Download PDF Steam-Boiler Construction A Practical Handbook for Engineers, Boiler-Makers Steam Users

Relevant Books



[PDF] Animalogy: Animal Analogies

Follow the web link below to read "Animalogy: Animal Analogies" file.

Download eBook »



[PDF] The Mystery at Motown Carole Marsh Mysteries

Follow the web link below to read "The Mystery at Motown Carole Marsh Mysteries" file.

Download eBook »



[PDF] The Whale Tells His Side of the Story Hey God, Ive Got Some Guy Named Jonah in My Stomach and I Think Im Gonna Throw Up

Follow the web link below to read "The Whale Tells His Side of the Story Hey God, Ive Got Some Guy Named Jonah in My Stomach and I Think Im Gonna Throw Up" file.

Download eBook »



[PDF] DK Readers The Story of Muhammad Ali Level 4 Proficient Readers

Follow the web link below to read "DK Readers The Story of Muhammad Ali Level 4 Proficient Readers" file.

Download eBook »



[PDF] Good Night, Zombie Scary Tales

Follow the web link below to read "Good Night, Zombie Scary Tales" file.

Download eBook »



[PDF] God Loves You. Chester Blue

Follow the web link below to read "God Loves You. Chester Blue" file.

Download eBook »